



Price list valid from 01/01/2017 (Currency EUR)

Type	Modul	VAT 0%	VAT 20%		VAT 0%	VAT 20%
<b>Interior doors FÖRBY with casings, sealing, hinges and lock case 2014</b>						
Förby 1P	M7-10X21	168	202	Spec.dimens.	235	282
Förby 2PH; Förby 2PH/DIS	M7-10X21	175	210	Spec.dimens.	245	294
Förby 2PV	M7-10X21	189	227	Spec.dimens.	265	318
Förby 3PH; Förby 3PH/DIS	M7-10X21	189	227	Spec.dimens.	265	318
Förby 1G	M7-10X21	231	277	Spec.dimens.	323	388
Förby 1G/1P; Förby 1G/1P/DIS	M7-10X21	231	277	Spec.dimens.	323	388
Förby 2G/1P; Förby 2G/1P/DIS	M7-10X21	231	277	Spec.dimens.	323	388
Förby 2GH; Förby 2GH/DIS	M7-10X21	241	289	Spec.dimens.	337	405
Förby 3GH	M7-10X21	252	302	Spec.dimens.	353	423
Förby 2GV	M7-10X21	252	302	Spec.dimens.	353	423
Förby 2GV/1P	M7-10X21	252	302	Spec.dimens.	353	423
Förby 10R	M7-10X21	273	328	Spec.dimens.	382	459
Förby 1GR	M7-10X21	311	373	Spec.dimens.	435	523

Models: look at page 5

<b>Interior doors SVIBY with casings, sealing, hinges and lock case 2014</b>						
Sviby 1P	M7-10X21	218	262	Spec.dimens.	305	366
Sviby 2PH; Sviby 2PH/DIS	M7-10X21	228	274	Spec.dimens.	319	383
Sviby 3PH; Sviby 3PH/DIS	M7-10X21	245	294	Spec.dimens.	343	412
Sviby 1G/1P/DIS; Sviby 2G/1P	M7-10X21	300	360	Spec.dimens.	420	504

Models: look at page 5

<b>Interior doors SAXBY with casings, sealing, hinges and lock case 2014</b>						
Saxby 1P	M7-10X21	263	316	Spec.dimens.	368	442
Saxby 3PH	M7-10X21	297	356	Spec.dimens.	416	499
Saxby 3PH/DIS	M7-10X21	297	356	Spec.dimens.	416	499
Saxby 2PH/DIS	M7-10X21	277	332	Spec.dimens.	388	465
Saxby 10R	M7-10X21	325	390	Spec.dimens.	455	546
Saxby 3GH; 8R	M7-10X21	342	410	Spec.dimens.	479	575
Saxby 8R	M7-10X21	342	410	Spec.dimens.	479	575

Models: look at page 5

<b>Veneered (oak) and stained interior doors SAXBY with casings, sealing, hinges and lock case 2014</b>						
Saxby 1P/oak	M7-10X21	499	599	Spec.dimens.	699	838
Saxby 3PH/oak	M7-10X21	562	674	Spec.dimens.	787	944
Saxby 3PH/DIS/oak	M7-10X21	565	678	Spec.dimens.	791	949
Saxby 2PH/DIS/oak	M7-10X21	525	630	Spec.dimens.	735	882
Saxby 10R/oak	M7-10X21	614	737	Spec.dimens.	860	1 032
Saxby 3GH/oak	M7-10X21	651	781	Spec.dimens.	911	1 094
Saxby 8R/oak	M7-10X21	651	781	Spec.dimens.	911	1 094

Models: look at page 3

<b>Interior doors with casings, sealing, hinges and lock case 2014</b>						
Fancy F	M7-10X21	123	148	Spec.dimens.	172	207
Fancy 3P	M7-10X21	189	227	Spec.dimens.	265	318
Fancy Cube	M7-10X21	189	227	Spec.dimens.	265	318
Fancy Chaos	M7-10X21	189	227	Spec.dimens.	265	318
Fancy V5	M7-10X21	175	210	Spec.dimens.	245	294
Fancy V5 Glass	M7-10X21	303	364	Spec.dimens.	424	509
Fancy Stripes	M7-10X21	255	306	Spec.dimens.	357	428
Fancy V5 Steel	M7-10X21	415	498	Spec.dimens.	581	697
Fancy Trinity	M7-10X21	400	480	Spec.dimens.	560	672
Fancy Stripes Glass	M7-10X21	398	478	Spec.dimens.	557	669
Fancy Dual	M7-10X21	265	318	Spec.dimens.	371	445
Fancy Dual Glass *	M7-10X21	265	318	Spec.dimens.	371	445

Type	Modul	VAT 0%	VAT 20%		VAT 0%	VAT 20%
<b>Interior doors</b>						
Bolero	M7-10X21	326	391	Spec.dimens.	456	547
Carisma	M7-10X21	439	527	Spec.dimens.	615	738
Excelsior	M7-10X21	349	419	Spec.dimens.	488	586
Excelsior 1R	M7-10X21	395	474	Spec.dimens.	553	664
Glam	M7-10X21	426	512	Spec.dimens.	597	716
Linear	M7-10X21	386	463	Spec.dimens.	540	648
Pearl	M7-10X21	349	419	Spec.dimens.	488	586
Polaris	M7-10X21	426	512	Spec.dimens.	597	716
Stripe	M7-10X21	386	463	Spec.dimens.	540	648
Trinity	M7-10X21	442	530	Spec.dimens.	619	742

### Interior doors GIPSY

Gipsy	M7-10X21	349	419	Spec.dimens.	488	586
Gipsy Glass	M7-10X21	403	484	Spec.dimens.	564	677
Gipsy Steel	M7-10X21	403	484	Spec.dimens.	564	677

### Interior doors HARMONY

Harmony	M7-10X21	349	419	Spec.dimens.	488	586
Harmony Plus	M7-10X21	349	419	Spec.dimens.	488	586
Harmony Glass	M7-10X21	403	484	Spec.dimens.	564	677
Harmony Steel	M7-10X21	411	493	Spec.dimens.	575	690
Harmony Ray	M7-10X21	490	588	Spec.dimens.	686	823
Harmony Glam	M7-10X21	625	749	Spec.dimens.	874	1 049
Harmony Stucto	M7-10X21	499	599	Spec.dimens.	699	838

### Interior doors NORDIC

Nordic	M7-10X21	268	321	Spec.dimens.	375	450
Nordic 1R	M7-10X21	330	396	Spec.dimens.	461	554
Nordic 6R	M7-10X21	345	414	Spec.dimens.	483	580
Nordic 10R	M7-10X21	380	456	Spec.dimens.	532	638
Nordic H	M7-10X21	306	368	Spec.dimens.	429	515
Nordic Dual	M7-10X21	403	484	Spec.dimens.	564	677
Nordic Dual Glass	M7-10X21	403	484	Spec.dimens.	564	677

### Interior doors VILLA

Villa	M7-10X21	306	368	Spec.dimens.	429	515
Villa Glass	M7-10X21	369	443	Spec.dimens.	517	620

### Veneered interior doors together with veneered frames, hinges and lock case 2014

Flush veneered	M7-10X21	233	280	Spec.dimens.	326	391
Flush veneered 6R	M7-10X21	328	394	Spec.dimens.	459	551
Flush veneered 3A	M7-10X21	328	394	Spec.dimens.	459	551
Flush veneered 1R	M7-10X21	311	373	Spec.dimens.	435	523
Flush veneered 10R	M7-10X21	361	433	Spec.dimens.	505	607
Flush veneered 5A	M7-10X21	361	433	Spec.dimens.	505	607
Flush veneered 1A	M7-10X21	328	394	Spec.dimens.	459	551

### White interior doors together with casings, hinges and lock case 2014

Flush	M7-10X21	90	108	Spec.dimens.	126	151
Flush 1PK	M7-10X21	177	212	Spec.dimens.	248	297
Flush 1R	M7-10X21	177	212	Spec.dimens.	248	297
Flush 6R	M7-10X21	183	220	Spec.dimens.	256	307
Flush 3A	M7-10X21	183	220	Spec.dimens.	256	307
Flush 1A	M7-10X21	177	212	Spec.dimens.	248	297
Flush 10R	M7-10X21	235	282	Spec.dimens.	329	395
Flush 5A	M7-10X21	235	282	Spec.dimens.	329	395

Type	Modul	VAT 0%	VAT 20%		VAT 0%	VAT 20%
<b>White interior doors together with casings, hinges and lock case 2014</b>						
Strong	M7-10X21	127	152	Spec.dimens.	178	213
Fiesta	M7-10X21	137	164	Spec.dimens.	192	230
Fiesta 1R	M7-10X21	217	260	Spec.dimens.	304	365
Fiesta 1A	M7-10X21	217	260	Spec.dimens.	304	365

Glasing 1A max glass opening

<b>Laminated doors together with casings, hinges and lock case 2014</b>						
White,PVC edge band	M7-10X21	209	250	Spec.dimens.	292	350
Spec. Color	M7-10X21	256	307	Spec.dimens.	358	430
Solid wood edge lipping (2H, 2T)					35	42

*Doors are covered with high pressure laminate.*

<b>Doors corresponding for special demands</b>						
Humidity resistant painted door	M7-10X21	207	249	Spec.dimens.	290	348
Humidity resistant veneered door	M7-10x21	333	399	Spec.dimens.	466	559
Threshold for hum.res.door		36	43			

*Painted: white painted. Other colors according to the offers.*

*Veneers: pine,beech, birch, oak, ash. Other types of veneers according to the offers.*

<b>Keibu interior doors with casings, hinges and lock case 2014</b>						
Keibu	M7-10x21	232	278	Spec.dimens.	325	390
Keibu3R	M7-10x21	257	308	Spec.dimens.	360	432

<b>Sauna doors together with casings, hinges and lock case Abloy 4238</b>						
Sauna wood/glass	M7-8x21	192	230	Price does not include the door pull.		
Sauna glass	M7-8 x19-21	178	214	Price includes the door pull.		
Sauna panel	M7-8 x 20-21	192	230	Price does not include the door pull.		
Sauna glass/panel	M7-8 x19-21	192	230	Price does not include the door pull.		

<b>Hotel and flat entrance doors (with certificate) with casings, threshold and security hinges</b>						
EI30/Rw43dB white	M7-10x21	443	532	Spec.dimens.	620	744
EI30/Rw43dB veneered	M7-10x21	516	619	Spec.dimens.	722	867
EI30/Rw40dB white	M7-10x21	293	352	Spec.dimens.	410	492
EI30/Rw40dB veneered	M7-10x21	366	439	Spec.dimens.	512	615
Rw40dB white	M7-10x21	260	312	Spec.dimens.	364	437
Rw40dB veneered	M7-10x21	334	401	Spec.dimens.	468	561
EI15/Rw37dB white	M7-10x21	212	254	Spec.dimens.	297	356
EI15/Rw37dB veneered	M7-10x21	285	342	Spec.dimens.	399	479
EI30/Rw40dB "Trend"	M7-10x21	499	599	Spec.dimens.	699	838
Rw37dB "Förby 1G" white	M7-10x21	316	379	Spec.dimens.	442	531
Rw37dB veneered "Villa 1G"	M7-10x21	391	469	Spec.dimens.	547	657

*Veneers: pine,beech, birch, oak, ash. Other types of veneers according to the offers.*

<b>Exterior doors (white) with casings, security hinges and threshold</b>						
Diplomaat	M9-10x21	435	522	Spec.dimens.	609	731
Diplomaat 1PS	M9-10x21	517	620	Spec.dimens.	724	869
Diplomaat 1PK	M9-10x21	517	620	Spec.dimens.	724	869
Diplomaat 1KK	M9-10x21	517	620	Spec.dimens.	724	869
Diplomaat 1KS	M9-10x21	517	620	Spec.dimens.	724	869
Diplomaat ROMB	M9-10x21	517	620	Spec.dimens.	724	869
Diplomaat 1R	M9-10x21	517	620	Spec.dimens.	724	869
Diplomaat 1A	M9-10x21	517	620	Spec.dimens.	724	869
Serenaad	M9-10x21	588	706	Spec.dimens.	823	988
Kuberner	M9-10x21	668	802	Spec.dimens.	935	1 122
Kuberner 8R	M9-10x21	788	946	Spec.dimens.	1 103	1 324
Lord	M9-10x21	454	545	Spec.dimens.	636	763
Kvartett	M9-10x21	497	596	Spec.dimens.	696	835
Minister	M9-10x21	615	738	Spec.dimens.	861	1 033
Oopus	M9-10x21	697	836	Spec.dimens.	976	1 171
Sonaat	M9-10x21	768	922	Spec.dimens.	1 075	1 290
Nokturn	M9-10x21	517	620	Spec.dimens.	724	869
Fiesta	M9-10x21	461	553	Spec.dimens.	645	775
Ext.Door EI30/Rw38dB	M9-10x21	529	635	Spec.dimens.	741	889
Magic Steel *	M9-10x21	768	922	Spec.dimens.	1 075	1 290

*Price includes the drillings for the locks.*

Type	Modul	VAT 0%	VAT 20%		VAT 0%	VAT 20%
<b>Exterior doors with casings, security hinges and threshold</b>						
Solid	M9-10X21	651	781	Spec.dimens.	781	937
Magic	M9-10X21	682	818	Spec.dimens.	818	982
Grace	M9-10X21	713	856	Spec.dimens.	856	1 027
Elegant	M9-10X21	713	856	Spec.dimens.	856	1 027
Diplomaat, oak 3D *	M9-10X21	1 585	1 902	Spec.dimens.	1 902	2 282
Diplomaat , oak 2D *	M9-10X21	1 485	1 782	Spec.dimens.	1 782	2 138

\* - oak veneered, oiled (3D brushed and oiled), hidden hinges , security lock FIX 5200

<b>Laminated exterior doors ACTIVE with casings, security hinges, double sealing and threshold</b>						
Active 1PS	M9-10X21	716	859	Spec.dimens.	1 002	1 203
Active 1PK	M9-10X21	716	859	Spec.dimens.	1 002	1 203
Active 1R	M9-10X21	716	859	Spec.dimens.	1 002	1 203
Active	M9-10X21	638	766	Spec.dimens.	893	1 072

<b>EKO exterior doors with casings, security hinges, double sealing and threshold</b>						
EKO	M9-10x21	506	607	Spec.dimens.	607	729
EKO 1A	M9-10x21	538	646	Spec.dimens.	646	775
EKO 1R	M9-10x21	532	638	Spec.dimens.	638	766
EKO 2R	M9-10x21	548	658	Spec.dimens.	658	789
EKO 6R	M9-10x21	584	701	Spec.dimens.	701	841
EKO 8R	M9-10x21	619	743	Spec.dimens.	743	891
EKO 9R	M9-10x21	619	743	Spec.dimens.	743	891

Price includes the drillings for the ASSA modulare locks or Abloy LC200

<b>Balcony doors* with casings, security hinges, double sealing and threshold</b>						
TER 1A	M7-10x21	648	778	Spec.dimens.	778	933
TER 1R	M7-10x21	637	764	Spec.dimens.	764	917
TER 1A/DIS	M7-10x21	652	782	Spec.dimens.	782	939

\*Price includes espagnolette + fixator (FIX) and handle

<b>Exterior doors (white) with casings, security hinges and threshold</b>						
Pavilion	M7-10x21	308	370	Spec.dimens.	431	517

<b>Special colours</b>						
				Unit	VAT 0%	VAT 20%
Special color, 1-5 doors				pcs	102	123
Special color, 6-10 doors				pcs	64	77
Special color, 11-50 doors				pcs	38	46
Special color, over 50 doors				pcs	32	38
Staining , 1-5 doors				pcs	51	61
Staining , 6-10 doors				pcs	32	38
Staining , over 10 doors				pcs	19	23
2 different colors				pcs	96	115
Oiling of interior door (colorless oil)				pcs	100	120
Oiling of interior door (tinted oil)				pcs	150	180
Oiling of exterior door				pcs	200	240
Specific colour/stain: metallic				pcs	100	120

Colour ranges - MONICOLOR NOVA, RAL

Stain - DICCO COLOR, BECKERS ACROMA

<b>Slats</b>						
Type	Dimensions	m, VAT 0%	m, VAT 20%		set , VAT 0%	set, VAT 20%
Slat 409 veneered *	12x42x2200	3,6	4,3		20	24
Slat 410 veneered *	12x58x2200	4,0	4,8		22	26
Slat 412 veneered *	12x70x2200	4,8	5,7		26	31
Fl.slat 410 veneered *	16x58x2200	4,4	5,2			
Slat 414 veneered *	25x100x2200	12,0	14,4		63	76
Slat for exterior door (teak vn)	12x70x2200	4,4	5,2		29	34
Slat 409 (MDF, white)	12x42x2200	1,2	1,5		8	9
Slat 410 (MDF, white)	12x58x2200	1,5	1,8		10	12
Slat 412 (MDF, white)	12x70x2200	2,0	2,4		13	16
Slat 414 painted	25x100x2200	12,0	14,4		63	76
Fl.slat 409 (MDF, white)	12x42x2200	1,1	1,3			

\* - pine, beech, birch, oak, ash

set = 1 side

## Frame solutions

Type		VAT 0%	VAT 20%		VAT 0%	VAT 20%
Frame solution PRO, wall (mm) **	92-110mm	325	390	125-140mm	405	486
	110-125mm	325	390	140-155mm	405	486
Frame solution PREMIUM, wall (mm)	92-110mm	112	134	140-155mm	126	151
Frame solution EASY for interior door (white), set						
	wall thickness 107-132mm				12	14
	wall thickness 132-157mm				18	21
	wall thickness 157-182mm				24	29
	wall thickness 182-207mm				30	36
	wall thickness 207-232mm				36	43
Frame solution EASY for interior door (veneered), set **						
	wall thickness 107-132mm				22	27
	wall thickness 132-157mm				33	40
	wall thickness 157-182mm				44	53
	wall thickness 182-207mm				55	66
	wall thickness 207-232mm				66	79

\* - price includes magnetic lock and hidden hinges

\*\* - veneers: pine, beech, birch, oak, ash. Other types of veneers according to the offers.

## Additional equipment


Type		VAT 0%	VAT 20%		VAT 0%	VAT 20%
Casing white painted	M7-10x21	35	42	Spec.dim.	45	54
Casing painted	M7-10x21	47	56	Spec.dim.	56	67
Casing veneered	M7-10x21	107	128	Spec.dim.	146	175
Sealing in frame (interior doors)					16	19
Concealed hinges (2pcs)					74	88
Magnetic lock					20	24
Magnetic lock (bathroom version)					21	25
Veneering of interior door frame (sound-, fireproof door) *					54	65
Veneering of exterior door frame (teak veneer)					96	115
Veneering of the edge of doorleaf (EI30/Rw40dB door) *					32	38
Automatic threshold M7-10					54	65
Threshold 20mm	M7-10	20	24	Spec.dim.	40	48
Threshold 10mm	M7-10	17	20	Spec.dim.	24	28
Ventilation unit (white)					22	26
Veneering of interior door frame (teak / oak)					96	115
Solid oak glass-frame for exterior door ACTIVE, oiled					50	60

\* - veneers: pine, beech, birch, oak, ash. Other types of veneers according to the offers.

## Modul sizes

M 7x21	690 x 2090 mm	M 13x21	1290 x 2090 mm
M 8x21	790 x 2090 mm	M 15x21	1490 x 2090 mm
M 9x21	890 x 2090 mm	M 17x21	1690 x 2090 mm
M 10x21	990 x 2090 mm	M 19x21	1890 x 2090 mm

## FÖRBY & SVIBY models



Note! Glass: transparent toughened

## SAXBY models



Note! Glass: transparent toughened

### User instructions

Haapsalu Uksetehase AS gives its quality doors a **two year** guarantee. Doors of the **Trendoor** series have a **three year** guarantee. Guarantee covering defects by reason of faulty material or workmanship does not cover deviations in quality due to normal wear and tear, for example, wearing off of the finish of the threshold, changes in door adjustment, etc. In order to enjoy our products for years, we strongly recommend to abide by the following recommendations and instructions.

### In order to keep this guarantee valid, it is forbidden to:

1. Use or store interior doors or their details (door frames, thresholds) in unheated or damp rooms.
2. Store interior doors or their details in conditions where they are in contact with water or allocated to constant moisture.
3. To alter the size of the doors or door frames by sawing.
4. To fasten non-standard fittings on doors or door frames (when fittings are needed, please consult our sales Representatives).
5. To damage doors or door frames mechanically.
6. To allocate painted or varnished surfaces or seals to chemicals.
7. To repaint or varnish doors or their parts.

### Use and maintenance instructions:

1. Make sure regularly that the lock, hinges and handle are fastened and work properly. Tighten the screws, if needed.
2. Clean the surface of painted, varnished or laminated doors with soft cloth and household cleansing agents of general purpose diluted with water in indicated ratio.
3. For cleaning doors with teak veneer, use dry cloth. If needed (recommended once a year), renew the finish of the door surface with shading wood protective agents Kolorex Protect (Tikkurila) or Valtti Color Extra (Tikkurila).
4. Lubricate (preferably with silicone oil, which does not stain and is in aerosol container) hinges, tumbler and latch-bolt at least once a year. In case of a garage door, lubricate also the moving parts of the lifting mechanism and working surface of the bar.
5. Do not attempt to open or close the door by force, if it is difficult due to the contact between the frame and the panel you might damage the frame or the panel. Adjust the position of the door panel, because there have been changes in the construction of the building, wood has swollen due to dampness or hinges or the lock have been loosened a bit. Please turn to the company, which installed the door, if help needed.
6. Keep doors (especially doors with glass) from closing with a swing due to the draught.

Technical data is subject to change without prior notice

**Haapsalu Uksetehas**

[www.uksetehas.ee](http://www.uksetehas.ee)

**Sales Office Open Mo-Fr 10:00-17:30**

Hallivanamehe 4, 11317 Tallinn  
ph.372 651 5888, fax 372 651 5889  
[salong@uksetehas.ee](mailto:salong@uksetehas.ee)

**Factory**

Masti tee 8, 90401 Uuemõisa, Lääne Maakond  
ph.372 472 0800 (801) fax 372 472 0802 (803)  
[info@uksetehas.ee](mailto:info@uksetehas.ee)