

**Declaration of Performance
DoP No. 005/CPR-2016-12-08**

1. Product type: Fire, smoke and sound rated outwards opening single side-hung door without glazing
2. ID code of the product type: **EI130/Rw40dB Ex**
3. Intended use: Fire, smoke and sound rated external doorset in domestic and commercial locations
4. Manufacturer: Haapsalu Uksetehase AS, Masti tee 8, Uuemõisa 90401, Ridala vald, Lääne maakond, Estonia. www.uksetehas.ee E-mail: info@uksetehas.ee
5. Authorised representative: N/A.
6. AVCP: System 1 and 3
7. Notified body: Under the System 1 certificate of constancy of performance is issued by notified product certification body No 1336, Inspecta Estonia OÜ. Under the System 3 an initial type testing is carried out by notified testing laboratory No 0809, VTT Expert Services Ltd.
8. Declared performance (System 1)

Essential characteristics	Performance	Harmonised standard
Resistance to fire EI1:	30	EN 16034:2014
Smoke control	Sa/S200	
Ability to release	npd	
Self-closing	npd	
Durability of ability to release	npd	
Durability of self-closing		
- cycle test	npd	
- against ageing (corrosion)	npd	

8.1 Declared performance (System 3)

Essential characteristics	Performance	Harmonised standard
Watertightness	3A	EN 14351-1:2006 + A2:2016
Dangerous substances	npd	
Resistance to wind load	C3	
Load-bearing capacity of safety devices	npd	
Height	2005 mm	
Acoustic performance Rw	40 dB (-1;-4)	
Thermal transmittance Ud*	0,98 W/m²K	
Air permeability	4	

*Hot-box EN ISO 12567-1.

8. The performance of the product identified in point 1 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:



Rene Serg, R&D manager
Uuemõisa, 08.12.2016